

THE NETHERLANDS
(N E D E R L A N D)**EC TYPE-APPROVAL CERTIFICATE**

Communication concerning:

- ~~EC type approval~~⁽¹⁾
 - extension of EC type-approval⁽¹⁾
 - ~~refusal of EC type approval~~⁽¹⁾
 - ~~withdrawal of EC type approval~~⁽¹⁾
- } of a type of
hydrogen component

with regard to Regulation (EC) number 79/2009, as implemented by Regulation (EU) number 406/2010.

EC type-approval number : **e4*79/2009*406/2010*0028*01**Reason for extension : Adding fitting types: Metric Tube Fittings,
Fractional Tube Fittings
SAE/MS Straight Threads
NPT Threads

SECTION I

- 0.1. Make (trade name of manufacturer) : FITOK Incorporated
- 0.2. Type : Metric Tube Fittings, Fractional Tube Fittings,
SAE/MS Straight Threads, NPT Threads
- 0.3. Means of identification of type, if
marked on the component⁽²⁾ : Label attached to the body and number laser
marked
- 0.3.1. Location of that marking : Body of the component (see drawing)
- 0.5. Name and address of manufacturer : FITOK Incorporated
No. 164 Xinqu Village, Tiantou Community
Shijing Street
Pingshan District
Shenzhen 518118
China
- 0.7. In the case of components and separate
technical units, location and method of
affixing of the EC approval mark : N.A.

- 0.8. Name(s) and address(es) of assembly plant(s) : FITOK (Wuhan) Incorporated
No. 16 Jinyang Avenue, Yangluo Economic Development Zone,
Xinzhou District
Wuhan, Hubei Province 430415
China
- FITOK GmbH
Sprendlinger Landstr. 115
63069 Offenbach am Main
Germany
- 0.9. Name and address of manufacturer's representative (if any) :

SECTION II

1. Additional information (where applicable) : see Addendum
2. Technical service responsible for carrying out the tests : Kiwa Nederland B.V.
P.O.Box 137
7300AC Apeldoorn
The Netherlands
3. Date of test report : 09-06-2023
4. Number of test report : 190701482_P000300620
5. Remarks (if any) : see Addendum
6. Place : Zoetermeer
7. Date : 29 June 2023
8. Signature :



R.F.R. Clement

Attachments:

- Test report.

⁽¹⁾ Delete where not applicable.

⁽²⁾ If the means of identification of type contains characters not relevant to describe the vehicle, component or separate technical unit types covered by this information document, such characters shall be represented in the documentation by the symbol '?' (e.g. ABC??123??).

ADDENDUM

to EC type-approval certificate number: e4*79/2009*406/2010*0028*01

relating to EC component type-approval of a hydrogen component or system

1. Additional information
 - 1.1. ~~Hydrogen system designed to use liquid hydrogen/Hydrogen system designed to use compressed (gaseous) hydrogen/Hydrogen component designed to use liquid hydrogen/Hydrogen component designed to use compressed (gaseous) hydrogen~~⁽¹⁾
2. Specifications and test results
 - 2.1. ~~Containers designed to use compressed (gaseous) hydrogen~~
 - 2.1.1. ~~Container material specifications~~

Material specifications	Applicable to material						Details
	Steel	Aluminium-alloy	Plastic-liner	Fibre	Resin	Coating	
Material manufacturer	√	√	√	√	√		
Type of material	√	√	√	√	√		
Material identification	√	√	√	√	√		
Heat treatment definition	√	√					
Chemical composition	√	√					
Cold or cryoforming procedure	√						
Welding procedure definition	√	√					

- 2.1.2. ~~Container material test results~~

Material test	Applicable to material						Specified material value	Test value
	Steel	Aluminium-alloy	Plastic-liner	Fibre	Resin	Coating		
Tensile test	√	√	√					
Charpy impact test	√							
Bend test	√	√						
Macroscopic examination	√							



Material test	Applicable to material						Specified material value	Test value
	Steel	Aluminium alloy	Plastic liner	Fibre	Resin	Coating		
Corrosion test		√						
Sustained load cracking test		√						
Softening temperature test			√					
Glass transition temperature test					√			
Resin shear strength test					√			
Coating test						√		
Hydrogen compatibility test	√	√	√	√	√			

2.1.3. Container test results

Container test	Specified design value	Test result
Burst Test		
Ambient Temperature Pressure Cycle Test		
LBB Performance Test		
Bonfire test		
Penetration Test		
Chemical Exposure Test		
Composite Flaw Tolerance Test		
Accelerated Stress Rupture Test		
Extreme Temperature Pressure Cycle Test		
Impact Damage Test		
Leak Test		
Permeation Test		
Boss Torque Test		
Hydrogen Gas Cycling Test		

3. Restriction of use of the device (if any) : None

4. Remarks : None

⁽¹⁾ Delete where not applicable.

