

Jumbo cylinder

Jumbo cylinder can store and transport industrial H₂, N₂, Helium; they are designed, manufactured, inspected and accepted according to:

ISO11120 Cylinder-design, structure and test of seamless and reusable steel tube with a capacity between 150 L to 3000 L.

Application:

1. For transportation from Mother station/ gas reserve to daughter station;
2. For transportation to places where pipeline network hasn't been built;
3. For transportation to places where can't reach existing distribution system etc;
4. For storage at gas stations.

Series:

1, Nominal strength jumbo cylinder:

Material: 4130X

Cylinder capacity: 2320L, 2450L, 2210L, 1050L

Cylinder certification: Bureau Veritas(China) or Tuv or Technická inšpekcia, a. s.

Standard: ISO11120 (2180L gas cylinder has obtained TPED certification).

Model	Capacity (L)	Weight (kg)	Length (mm)	Working pressure (bar)	Cylinder Wall Thickness (mm)	Filling medium	Material
WGS-559-2320-20I	2320	2420	10948	200	14.8	H ₂	4130X
WGS-559-2450-20I	2450	2580	11580	200	14.8	H ₂	4130X
WGS-559-2210-25I	2210	2769	10975	250	18.4	H ₂	4130X
WGS-559-1050-25I	1050	1366	5440	250	18.4	H ₂	4130X





Payment Term: 30% T/T down payment for order, and balance 70% T/T before delivery time.

Warranty Period: 12 months

Date of Deliver: Deliver from factory within 90 days after down payment received.

Contact me:

Jack Chen (陈伟)

Sino Energy Tech Co., Ltd

TEL: +86(532)76357835 (Direct)

FAX: +86(532)76357835

Mobile: +86—132 76357835

E-mail: jackchen@sinoenergytech.com